# Dr.'s REMEDY NAIL CARE Safety Data Sheet

## NATURALLY, MADE BY DOCTORS

## 1. Identification

**Product Name:** 

**AUTHENTIC** Apricot

Recommended Use.

Coatings and Paints / Cosmetics / Nail

#### Supplied by:

Briggate Medical Company 23-25 Lakewood Blvd, Victoria, Australia 3195 Ph: 03 8586 7800 / 1800 33 4142 email: briggate@briggate.com.au web: www.briggatemedical.com

## 2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Eye Irritation, category 2A Flammable Liquid, category 1 STOT, single exposure, category 3, NE

#### GHS Pictograms



Signal Word Danger

Unknown Acute Toxicity < 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

#### HAZARD STATEMENTS

Extremely flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

#### Precautionary Statements - Prevention.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash face and hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use  $CO_2$  dry chemical or foam to extinguish.

#### Precautionary Statements - Storage.

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

#### Precautionary Statements - Disposal.

Dispose of contents in accordance with local/regional/national/international regulations.

## 3. Composition/Information on Ingredients

Chemical Name	CAS-No.	<u>Wt. %</u>
Ethyl Acetate	141-78-6	25-50
N-Butyl Acetate	123-86-4	25-50
Isopropyl alcohol	67-63-0	10-25
Nitrocellulose	9004-70-0	2.5-10
Titanium Dioxide	13463-67-7	1.0-2.5

The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid Measures

#### Description of first-aid measures.

#### General advice.

Call a poison control center or doctor for treatment advice.

#### Inhalation.

Remove to fresh air immediately. Get medical attention immediately.

#### Skin contact.

Wash skin thoroughly with soap and water.

#### Eye contact.

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### Ingestion.

If swallowed do not induce vomiting. Seek immediate medical attention.

#### Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

#### Notes to physician.

Treat symptomatically.

#### 5. Fire-fighting Measures

#### Extinguishing media.

#### Suitable extinguishing media.

Foam. Water spray or fog. Use CO<sub>2</sub>, dry chemical, or foam.

#### Extinguishing media which shall not be used for safety reasons.

Do not use a solid water stream as it may scatter and spread fire.

#### Special hazards arising from the substance or mixture.

Flash back possible over considerable distance. Vapors may form explosive mixture with air. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors heavier than air. Development of hazardous combustion gases or vapors possible in the event of fire. Combustion may produce carbon monoxide, carbon dioxide, and irritating or toxic vapors and gases.

#### Advice for firefighters.

WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

## 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures.

#### Personal precautions.

Personal precautions. Use personal protective equipment. All equipment used when handling the product must be grounded. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

#### Advice for emergency responders.

Refer to protective measures listed in sections 7 and 8.

#### Environmental precautions.

Environmental precautions. Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

#### Methods and materials for containment and cleaning up.

#### Methods for Containment.

Take up with sand or other noncombustible absorbent material and place into containers for later disposal. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Remove all sources of ignition.

#### Methods for cleaning up.

No Information

#### Reference to other sections.

See section 8 for more information.

## 7. Handling and Storage

#### Conditions for safe storage, including any incompatibilities.

#### Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Vapors may form explosive mixtures with air. Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing. Do not use sparking tools. No smoking.

#### Hygiene measures.

Do not drink, taste, swallow or ingest this product. Wash thoroughly after handling product. Always wash up before eating, smoking or using toilet facilities.

#### Storage Conditions.

Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Use spark-proof tools and explosion-proof equipment. Keep away from oxidizing agents and strongly acid or alkaline materials.

## 8. Exposure Controls/Personal Protection

Ingredients with Occupational Expos Chemical Name	ure Limits ACGIH TLV-TWA	ACGIH-TLV STEL	OSHA PEL-TWA	OSHA PEL-CEILING
Ethyl Acetate	400 ppm	N.E.	400 ppm	N.E.
N-Butyl Acetate	50 ppm	150 ppm	150 ppm	N.E.
Isopropyl alcohol	200 ppm	400 ppm	400 ppm	N.E.
Titanium Dioxide	10 mg/m <sup>3</sup>	N.E.	15 mg/m <sup>3</sup>	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

#### Engineering Measures.

Provide appropriate exhaust ventilation at places where dust is formed. Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment is not a source of ignition.

#### Personal protective equipment.

#### **Eye/Face Protection.**

Goggles.

#### Skin and body protection.

Wear protective gloves/ protective clothing. Wear fire/ flame resistant/ retardant clothing. Flame retardant antistatic protective clothing.

#### Respiratory protection.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

## 9. Physical and chemical properties.

#### Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	Liquid
Color	TO MATCH STANDARD
Odor	Ester Odor
Odor Threshold	Not Established
рН	Not Applicable
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	-4 (24.80)
Boiling point/boiling range., °C (°F)	34 - 3,000 (93.2 - 5432)
Evaporation rate	No Information Available
Explosive properties.	No Information
Vapor pressure.	Undefined
Vapor density.	Heavier then air
Specific Gravity. (g/cm <sup>3</sup> )	0.985
Water solubility.	Insoluble
Partition coefficient.	Undefined
Autoignition temperature.,°C	Undefined
Decomposition Temperature °C.	Undefined
Viscosity, kinematic.	Undefined
Other information.	
Volatile organic compounds (VOC) content.	No Information
Density, Ib/gal	8.206

## 10. Stability and Reactivity

#### Reactivity.

Hazardous polymerization does not occur.

#### Chemical stability.

Stable under recommended storage conditions.

#### Possibility of hazardous reactions.

Will not occur.

#### Conditions to Avoid.

Keep away from heat, sparks and flames.

#### Incompatible Materials.

Keep away from oxidizing agents, strongly acid or alkaline materials and amines.

Carbon oxides. Nitrogen chloride.

## 11. Toxicological Information

## Information on toxicological effects.

Acute toxicity.

**Product Information** 

No Information

## Component Information.

CAS-No.	<u>Chemical Name</u>	LD50 Oral	LD50 Dermal	LC50 Inhalation
141-78-6	Ethyl Acetate	5620 mg/kg Rat	>18000 mg/kg	N.I.
123-86-4	N-Butyl Acetate	10768 mg/kg Rat	Rabbit >17600 mg/kg	21 mg/l (Vapor)
125-60-4	N-Dulyi Acetale	10700 mg/kg Mat	Rabbit	
67-63-0	Isopropyl alcohol	5840 mg/kg (Rat)	13,900 mg/kg (	N.I.
			Rabbit )	
9004-70-0	Nitrocellulose	>5000 mg/kg Rat	>5000 mg/kg	21 mg/l (Vapor)
N.I. = No Information				
Skin corrosion/irritation.				

No Information

#### Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

#### Ingestion.

No Information

#### Germ cell mutagenicity.

No Information

#### Carcinogenicity.

This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is a liquid.

IARC

<u>NTP</u>

**OSHA** 

CAS-No.	<u>Chemical Name</u>	
---------	----------------------	--

13463-67-7	Titanium Dioxide	IARC Group 2B
------------	------------------	---------------

#### Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

## No Information

Aspiration hazard.

No Information

## Primary Route(s) of Entry

No Information

## 12. Ecological Information

#### Toxicity.

12.06% of the mixture consists of ingredient(s) of unknown aquatic toxicity

## Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Ethyl Acetate 141-78-6	-	LC50 96 h Pimephales promelas 220 - 250 mg/L, LC50 96 h Oncorhynchus mykiss 484 mg/L, LC50 96 h Oncorhynchus mykiss 352 - 500 mg/L	EC50 48 h Daphnia magna 560

N-Butyl Acetate 123-86-4	EC50 72 h Desmodesmus subspicatus 674.7 mg/L	LC50 96 h Lepomis macrochirus 100 mg/L, LC50 96 h Pimephales promelas 17 - 19 mg/L	
Isopropyl alcohol 67-63-0	subspicatus >1000 mg/L EC50		EC50.48 h Danhnia magna

#### Persistence and degradability.

No data are available on the product itself.

#### **Bioaccumulative potential.**

No data are available on the product itself.

CAS-No.	Chemical Name	log POW
141-78-6	Ethyl Acetate	0.6
123-86-4	N-Butyl Acetate	1.81
67-63-0	Isopropyl alcohol	0.05

#### Mobility in soil.

No information

#### Other adverse effects.

No information

## 13. Disposal Considerations

#### Waste Disposal Guidance.

Do not burn, or use a cutting torch on, the empty drum. DISPOSE OF WASTE MATERIAL AT AN APPROVED (HAZARDOUS) WASTE TREATMENT/DISPOSAL FACILITY IN ACCORDANCE WITH APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS. DO NOT DISPOSE OF WASTE WITH NORMAL GARBAGE, OR TO SEWER SYSTEMS.

## 14. Transport Information

#### DOT

Shipping Name:	Paint
Hazard Class:	3 (Flammable Liquid)
UN/NA Number:	1263
Packing Group:	II

## IMDG

Hazard Class: UN Number:	Paint 3 (Flammable Liquid) 1263 u
Packing Group:	II

<u>IATA</u>

3 (Flammable Liquid)

## 15. Regulatory Information

International Inventories:

TSCA	
	-
DSL	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECI	-
PICCS	-
AICS	-
NZIoC	-
TCSI	
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
DSL/NDSL	Canadian Domestic Substances List/Canadian Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AICS	Australian Inventory of Chemical Substances.
NZIoC	New Zealand Inventory of Chemicals.
TCSI	Taiwan Chemical Substance Inventory

## **U.S. Federal Regulations:**

## SARA SECTION 313:

This product does not contain any chemicals that are subject to the reporting requirements of SARA 313. TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

## **CALIFORNIA PROPOSITION 65 CARCINOGENS**

# 🔨 WARNING

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:. This product contains titanium dioixde in a non-respirable form. This product contains carbon black in a non-respirable form.

Chemical Name	<u>CAS-No.</u>
Titanium Dioxide	13463-67-7
Carbon black	1333-86-4
Styrene monomer	100-42-5

#### **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

No Proposition 65 Reproductive Toxins exist in this product.

16. Othe	r Informat	tion					
Revision Date:		11/9/2020			Supersedes Date:		New SDS
Reason for	revision:	No Inform	No Information				
Datasheet produced by: Regulatory Department		nent					
HMIS Ratir	igs:						
Health:	2	Flammability:	3	Physical Hazard:	1	Personal Protection:	G
NFPA Rati	ngs:						
Health:	N.I.	Flammability:	N.I.	Instability:	N.I.	Physical & Chemical:	N.I.

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.